


HOSPITAL & HOSPITALITY 2026




Aims to provide
Quality & Cost effective Solutions
after analyzing consumer's needs and demands.





CONTENTS

ZILVER
CONCETTI ITALIANI



SUSTAINABILITY

In today's fast-paced world, Zilver acknowledges the timeless influence of nature. Our creations are rooted in the elements of earth, water, fire, and air, inspiring a sustainable future. Join us in preserving our greatest treasure Earth as we move forward with reverence and innovation.

If you'd like, I can also adapt this for a brand manifesto, website "About Us" section, or marketing campaign copy.

OUR COMMITMENT

ZILVER
CONCETTI ITALIANI

Discover the epitome of modern bathroom solutions with Zilver's multifaceted collection. Our range encompasses versatile faucets, showers, kitchen sinks and faucets, accessories, and bathroom fixtures—offering comprehensive solutions for both public and private spaces.

At Zilver, we redefine bathroom aesthetics by introducing a novel design concept that transforms your space into a sanctuary of relaxation. Our extensive selection of sanitary ware is designed to suit bathrooms of all sizes and styles, from casual to elegant.

Embrace the limitless possibilities of Zilver's organic forms and modular options, turning any space into an artistic masterpiece.

Committed to quality as a core principle, Zilver sources state-of-the-art manufacturing facilities worldwide, ensuring innovative, high-standard products for our customers.

The complete Zilver bathroom range offers a wide array of choices, enabling you to curate a first-rate, aesthetically pleasing, and highly functional bathroom that aligns perfectly with your individual taste and lifestyle. Elevate your bathroom experience with Zilver's unparalleled commitment to excellence in design and quality.



ZILVER PROMISE

Zilver will provide, free of charge and at its option, replacement part(s) or a replacement product (or a comparable alternative product) for any item proven to be defective in materials or workmanship. Zilver will not be responsible for labor costs, freight or shipping charges, or any damages arising from the use of the product purchased from us. If the product is found to be defective, Zilver's liability is limited to the purchase price of the defective product only. For all warranty claims, proof of purchase (original sales receipt) from the original consumer purchaser must be provided. This warranty is non-transferable and applies only to the original purchaser of the product.

WARRANTY EXCLUSIONS

This warranty applies to normal domestic use only and does not cover defects or damage caused by, or resulting from, misuse, abuse, neglect, accidental damage, or improper installation. The 5-year limited warranty also does not cover the replacement of components damaged due to normal wear and tear. To maintain the product finish, avoid all cleaning products containing ammonia, bleach, or alcohol, as these may damage the surface. Outdoor installation accelerates finish wear, and any outdoor installation will void the warranty.

THE HOME OWNER'S GUIDE TO CARE AND MAINTENANCE FOR YOUR

ZILVER FINISH

All Zilver products carry warranties in accordance with the terms and conditions of these warranties. The factories that manufacture these products set the warranty coverage and limitations.

GENERAL DISCLAIMER

All warranties contained herein, including but not limited to any implied warranty of merchantability or fitness for a particular purpose, are limited in duration to the applicable warranty period set forth above. Some countries do not allow limitations on how long an implied warranty lasts, and some do not allow the exclusion or limitation of incidental or consequential damages; therefore, the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from country to country.


COMMERCIAL WARRANTY

Zilver warrants that its products installed in a commercial application will be free from manufacturing defects for a period of one (1) year from the date of acquisition by the original owner.

MAINTAINING THE EXPERIENCE OF AUTHENTIC LUXURY

The finishing touch of every Zilver product is its exquisite surface, designed to deliver an authentic luxury experience through a distinctively soft, warm, and genuine feel, in comparison to other products.

Sensor Taps



Sensor Technology



Advantages of Sensor Taps Compared to Traditional Hand-Operated Taps

CROSS CONTAMINATION


The level of cross-contamination when using a manual tap is significantly higher than with a sensor tap. Traditional taps require users to touch the handle before and after washing their hands, increasing the risk of spreading germs.

HYGIENE


With nothing to reach or touch, sensor taps are more hygienic and promote a germ-free environment. In contrast, manual taps require physical contact, making it easy for germs and dirt to be transferred from the user to the tap and vice versa.

MAINTENANCE

Automatic taps require less maintenance in terms of parts replacement, cleaning, and everyday wear and tear.



Sensor Technology



LONG-TERM COST

Taking water conservation into consideration, which in turn reduces water bills, sensor-activated taps provide greater cost savings in the long term.

WATER SAVING

With sensor taps, water flow is activated and deactivated within 0.5 seconds, helping to reduce unnecessary running water. Sensor taps also do not drip, which is a common issue with manual taps.

ENERGY SAVING

Sensor taps may require slightly more energy to manufacture. However, they reduce water wastage significantly. Less wasted water means less energy is needed for pumping, treatment, and wastewater processing. While the savings may not be obvious immediately, they add up over the long term.

HAND WASHING


Water wastage during handwashing is higher with manual taps. Automatic taps dispense water only when needed and shut off immediately when hands are removed from the sensing zone.

TOOTH BRUSHING

Up to 5 liters per minute can be wasted while brushing teeth if a manual tap is left running. Sensor taps dispense water only when needed and shut off automatically when the user moves away from the infrared sensing zone.

DISHWASHING

It is also common to leave the tap running while doing the dishes. With sensor taps, water is dispensed only when needed.



Save Water ~ Save Life

ZILVER
CONCETTI ITALIANI

Water Saving From Sensor Taps



Single-lever

APPROX.
30%
Water Saved



Self-closing

APPROX.
50%
Water Saved



Sensor Tap

APPROX.
70%
Water Saved

Sensor Mixer


Sensor Mixer ZY9113

Battery Power Supply, Integrated Side Mixer, Polished Chrome Finish, 1.5 gpm, Aerated Spray, Infrared Sensor, Optima Battery-Powered Deck-Mounted Mid Body Faucet.



- Flow Rate: 1.5 gpm (6 lpm) (1.5GPM)
- Spray Type: Aerated (AER)
- Sensor Type: Infrared (IR)
- Mounting Type: Single Hole ()
- Power Supply: Battery and Electric Charge
- Temperature Mixer: Integrated Side Mixer (ISM)
- Finish: Polished Chrome (CP)
- Factory Default Timeout: 30s
- Factory Default GPC

- Brass body
- Minimum pressure
- Sensor Mixer Battery operated
- Brass body
- Flexible connection hose with brass nuts
- Faucet aerator
- Chrome plating 0.2-0.3 µm
- Nickel plating 8- 10 µm
- Minimum pressure: 1 bar
- Solenoid Valve
- Water Supply Connection with Flexible
- High-pressure Hose and Strainer
- 6 CR5 Commercial Battery included
- Appropriate Mounting Hardware included
- Optional 24 Hour Sentinel Activation



Electrical Specifications

- Battery Life: 3 years 8,000 cycles/month
- Optional power harvesting significantly extends service life
- Timeout Settings: 30s



Angle Valve with filter GX4016

Recommended Angle Valve For
Sensor Mixer And Taps



ZILVER
CONCETTI ITALIANI

- CONTACTLESS DISPENSING
- SENSOR ACTIVATED
- USER FRIENDLY & ERGONOMIC DESIGN
- MAIN OR BATTERY POWER
- WATER SAVING & HYGIENE

Sensor Mixer

Sensor Mixer ZY9111

Details

- Flow Rate: 1.5 gpm (6 Lpm) (1.5GPM)
- Spray Type: Aerated (AER)
- Sensor Type: Infrared (IR)
- Mounting Type: Single Hole ()
- Power Supply: Battery (BAT)
- Temperature Mixer: Integrated Side Mixer (ISM)
- Finish: Polished Chrome (CP)
- Factory Default Timeout: 30s
- Factory Default GPC: 0.75

Features



- Brass body
- Minimum pressure
- Sensor Mixer Battery operated (Lithium Battery)
- Brass body
- Flexible connection hose with brass nuts
- Faucet aerator
- Chrome plating 0.2-0.3 μm
- Nickel plating 8- 10 μm
- Minimum pressure: 1 bar
- Low Battery Indicator
- Magnetic Solenoid Valve
- Water Supply Connection with Flexible
- High-pressure Hose and Strainer
- 6 Volt Lithium 2CR5 Commercial Battery included
- Appropriate Mounting Hardware included
- Optional 24 Hour Sentinel Activation'
- IQ-Click feature permits activation of continuous run and temporary off modes
- Capable of withstanding temporary thermal disinfection shocks up to 80°C /176°F

Electrical Specifications

- Battery Life: 3 years 8,000 cycles/month
- Optional power harvesting significantly extends service life
- Timeout Settings: 30s



NEW



Angle Valve with filter GX4016

Recommended Angle Valve For
Sensor Mixer And Taps






Sensor Mixer

Sensor Tap ZY9050

Features

- Aerator Type M24X1 Male Threaded
- Flow Rate 7.5 9 Lt / Min (3 Bar)
- Water Connection Flex Dimension 1/2"
- Max. Performance Temperature 80°C
- Spout Length 95 mm
- Spout Height 135 mm
- Product Total Height 160 mm
- Electronic and Sensor with Automatic



Angle Valve with filter GX4016

Recommended Angle Valve For
Sensor Mixer And Taps



Sensor Tap

ZY7113 Sensor Tap Wall Mounted

Features

- Space-Saving Design
- Durable Materials
- Modern Aesthetic
- Easy Installation
- Water-Efficient
- Aerator Type M24X1 Male Threaded
- Flow Rate 7.5 9 Lt / Min (3 Bar)
- Water Connection Flex Dimension 1/2"
- Max. Performance Temperature 80°C
- Electronic and Sensor with Automatic Photocell




Durable Materials Modern Aesthetic



Sensor Tap ZY8155

Features

- Brass Body
- Faucet aerator
- Nickel Plating 8-10 micrometer
- Minimum pressure 0.5 to 1 bar
- Flexible connection hose with brass nuts
- Chrome plating 0.2-0.3 micrometer



Angle Valve with filter GX4016

Recommended Angle Valve For
Sensor Mixer And Taps



SUITABLE FOR
ABLUTION AREAS

CONTACTLESS
DISPENSING

SENSOR ACTIVATED

USER FRIENDLY &
ERGONOMIC DESIGN

MAIN OR
BATTERY POWER

WATER SAVING
& HYGIENE

Normals Taps



Double Bib Taps


Double Bib Tap
ZES01 / ZES01MBC / ZES01BG

Features

- Brass cover
- Brass body
- Chrome finish
- Matt Black
- Brush Gold



NEW



■ Matt Black




■ Brush Gold

Double Bib Tap ZES07

Features

- Brass cover
- Brass body
- Chrome finish
- Size :Inlet 1/2"
- Size :outlet 1/2"





Toilet Shower

Toilet Shower Set & Spare Handle TS104, TS104S, TS104MBC

TS112

Features

- Toilet Shower
- Stainless steel hose 1.25 meter
- SS Wall Bracket
- Stainless Steel Handle
- Color: Silver, Brush Gold & Matt Black
- Standard thread: H(F) 1/2
- Size: 130 x 60 x 30 mm



Toilet Shower

Toilet Shower Set & Spare Handle TS112

Features

- Toilet Shower
- TS112: Telephonic type plastic hose
- Easy to use : Hygiene
- Clean Floor & long lasting
- Size: 162.6 x 59 x 36 mm
- ABS Wall Bracket
- Finish: Polish
- Standard thread: H(F) 1/2

NEW





Plastic
Hose
TS112



Toilet Shower Set & Spare Handle TS110, TS110S

Features

- Toilet Shower
- TS110: Stainless steel hose 1.25 meter
- Size: 162.6 x 59 x 36 mm
- ABS Wall Bracket
- Finish: Polish
- Standard thread: H(F) 1/2



Toilet Shower

Toilet Shower Set & Spare Handle TS102, TS102S

Features

- Toilet Shower
- Stainless steel hose 1.25 meter
- ABS Wall Bracket
- Material: ABS
- Finish: Polished
- Chrome plating: 0.2-0.25 μm
- Standard thread: H(F) 1/2
- Size: 183 x 46 x 31 mm




Single Bib Taps

Single Bib Tap ZES03

Features

- Size: 1/2
- Cover plate
- Chrome plated



Toilet Shower Set & Spare Handle TS104, TS104S, TS104MBC

Features

- Toilet Shower
- Stainless steel hose 1.25 meter
- SS Wall Bracket
- Stainless Steel Handle
- Color: Silver, Brush Gold & Matt Black
- Standard thread: H(F) 1/2
- Size: 130 x 60 x 30 mm




■ Matt Black ■ Brush Gold



Long Single Bib Tap ES09

Features

- Size: 1/2
- Cover plate
- Chrome plated



FAUCETS

Elegant & Functional



Basin Mixer


ZCLF1001 / ZCLF1001MB / ZCLF1001BG

Features

- Single Lever Normal Basin Mixer 1/2
- For Single Hole Installation
- Cartridge : 35mm Ceramic
- Minimum pressure 0.1 mpa /14.5psi/1bar
- Flexible connection hoses with nuts

Inclusive of

- Chrome plating 0.2-0.3 μm
- Nickel plating 8-10 μm



Basin Mixer


AM1001 / AM1001BK

NEW

Features

Single Lever Basin Mixer 1/2


- For Single Hole Installation inclusive of
- Cartridge : 35mm Ceramic
- Minimum pressure 0.1 mpa /14.5psi/1bar
- Flexible connection hoses with nuts
- Chrome plating 0.2-0.3 μm
- Nickel plating 8-10 μm
- Powder Coating



Normal Basin Mixer HD1001

Features

- Cartridge : 35mm Ceramic
- Flexible connection hoses with nuts
- Aerator @ 2.2 gpm max @ 60 psi
- Chrome plating 0.2-0.3um
- Nickel plating 8-10um
- Minimum pressure 0.1 mpa / 14.5 psi / 1 bar




Hospital Mixer

Elbow Action Faucet Wall Mounted UB001

Features


- Wall Mounted
- Chrome Plated
- Suitable for use by handicapped.
- Suitable for use by elbow and medical applications.



Basin Mixer ZBLI1001

Features


- For Single Hole Installation
- Cartridge : 35mm
- Ceramic with Brass Stick
- Flexible connection hoses with brass nuts
- Chrome plating 0.2-0.3µm
- Nickel plating 8-10 µm
- Minimum pressure 0.1 mpa /14.5psi/1bar



Elbow Action Faucet Sink Mounted UB002

Features

- Sink Mounted
- Chrome Plated
- Suitable for use by handicapped.
- Suitable for use by elbow and medical applications.



Basin Mixer ZVIL1001 / ZVIL1001MB / ZVIL1001BG

Features


- For Single Hole Installation
- Cartridge : 40 mm Ceramic
- Flexible Connection hoses with nuts
- Aerator @2.2 gpm max. @60psi
- Chrome plating 0.2-0.3 micrometer
- Nickel Plating 8-10 micrometer
- Minimum pressure 0.1 mpa /14.5psi/ 1bar



Normal Basin Mixer ZTLA1001

Features

- Single Lever Basin Mixer 1/2
- For Single Hole Installation
- Cartridge : 35 mm
- Ceramic Flexible connection hoses with nuts
- Chrome plating 0.2-0.3 μm
- Nickel plating 8-10 μm
- Minimum pressure 0.1 mpa /14.5psi/1bar



Basin Mixer ZARC1001

Features


- Cartridge : 25mm Ceramic with Brass Stick
- Inclusive of Flexible Connection hoses with nuts
- Aerator @2.2 gpm max. @60psi
- Chrome plating 0.2-0.3 micrometer
- Nickel Plating 8-10 micrometer
- Minimum pressure 0.1 mpa /14.5psi/ 1bar



Normal Basin Mixer ZTTN1001 / ZTTN1001MBC

Features

- Single Lever Basin Mixer 1/2
- For Single Hole Installation
- Cartridge: 35 mm Ceramic
- Flexible connection hose with nuts
- Chrome plating 0.2-0.3 μm
- Nickel plating 8-10 μm
- Minimum pressure 0.1 mpa /14.5psi/1bar
- Powder Coating




Handicap Bars

Grab Bar

Handicap Grab Bar Straight ZHBS001, ZHBS002, ZHBS003

Features


- Heavy Duty 304
- Stainless Steel
- Exposed Screw with cover
- Safety Grip Finish (Knurled)
- Size: 300mm (12 inches)
450mm (18 inches)
600mm (24 inches)
- Brush Finish Dia: 32 mm



Straight Grab Bar ZGB01, ZGB02, ZGB03

Features


- Stainless steel body
- Rust-resistant 100kg
- Max. Load on a solid wall
- Size: 300mm (12 inches)/375mm
(15 inches)/470mm (18 inches)
- Chrome plated Dia: 25mm
- Easy grip Concealed Fixings



Grab Bar With Soap Basket H004

Features

- Angle 135°
- Dia 32 mm
- Size : 460 mm x 133 mm x 75 mm
- L-type grab rail
with soap basket
- For wall-mounting
fixings supplied
- Stainless steel body
- Polished chrome finish
- Item is reversible



Handicap

Salient Featured



Corrosion &
Rust Resistant



Corrosion &
Rust Resistant



Corrosion &
Rust Resistant




Corrosion &
Rust Resistant

Grab Bar

Handicap Flip-Up Grab Bar ZHBU011

Features

- Stainless finish
- Stainless steel
- Construction for added durability
- Supports up to 300 Lbs. 30" bar length 1.25 bar diameter
- Corrosion resistant Dia: 32mm
- Size: 720m x240mm
- Material Stainless Steel



Paper Dispenser



Paper Dispenser

Automatic Paper Dispenser ZPD04

Features


- Size: 290 mm X 215 mm X 360 mm
- Sensor window
- Distance 0-6 cm
- Automatic paper out
- Color: White
- Material: ABS
- 15.5 cm in diameter
- Applicable size: 220 cm,



Paper Dispenser EQ109

Features

- Size: 270 mm x 265 mm x 92 mm
- Stainless steel body
- Finish: Satin
- Capacity: 250-400 Sheets



Paper Dispenser ZPD03

Features

- Size: 215mm x 278mm x 102mm
- Color : White
- Material: ABS
- Capacity: 250-400 Sheets



Hand Dryer

ZILVER
CONCETTI ITALIANI

Hand Dryer

Jet Hand Dryer Blade Type HSDA9026

Features

- Voltage : 220 230 V
- Motor Type : Brush or Brushless
- Frequency : 50 Hz, 60 Hz
- Material : ABS
- Water Splash Proof : IP4
- Drying Time : 5 Seconds
- Air Speed : 85 110 m/s (adjustable)
- Noise dbs : 60 dbs
- Capacity of tank : about 1 L
- Certification : CE & RoHS
- Product Size : 566 X 290 X 164 mm
- Colour : White Weight : 7 kg



- FAST DRYING
- ENERGY EFFICIENT
- TOUCHLESS OPERATION & HYGIENE
- DURABILITY & RELIABILITY
- NOISE REDUCTION & COMFORT



Automatic induction hand dryer



Low noise



Quick dry hands



Easy installation



Automatic induction




Hand Dryer

Hand Dryer Stainless Steel [304] 2050GS

Features

- Motor speed : 25000 r.p.m
- Motor power : 550 Watts
- Heating power: 700 Watts
- Unit power: 1250 Watts
- Stainless Steel 304 body
- Color: Silver





Hand Dryer

Hand Dryer 2020GS

Features

- Size: 233 mm x 182 mm x 282 mm
- Rate Power 1200 Watts
- ABS Plastic Body
- Color White Hot
- Cold Air Option




Hand / Hair Dryer

Hand Dryer 2000GS

Features


- Rated power: 1500 Watts
- Plastic body
- Color: White



Hair Dryer HQ830

Features

- Rated power: 1000 Watts
- Plastic body
- Colour: White



Soap Dispenser

Dispenser


ZILVER
CONCETTI ITALIANI

Soap Dispenser

Manual Liquid Soap Dispenser ZSD01

Features


- Drop Volume : 1-1.5 mL per one
- Time Material : ABS
- Capacity : 500 ML
- Operation : Manual



Manual Liquid Soap Dispenser 302C/302C1

Features

- Capacity: 302C, (0.5 liter)
- Capacity: 302C1, (1 liter)
- Stainless steel body
- Finish: Polish






Soap / Sanitizer Dispenser

Soap / Sanitizer Dispenser ZSD03

Features


- Size: 232 mm x 117 mm x 119 mm
- Plastic body
- Color: White
- Capacity: 0.8 Liter (800 mL)



Liquid Soap Dispenser Plastic BQ5940B

Features

- Capacity: 1000 mL
- Plastic body






Soap / Sanitizer Dispenser

Sensor Soap / Sanitizer Dispenser ZY610D

Features

- Material: Stainless Steel 304#
- Capacity: 0.5 Liter (500 mL)
- Induction Distance: 3-10cm
- Capacity/one time: 1-1.5mL
- Automatic operation
- One drop: 1 to 1.5cc
- Battery Operated




Soap / Sanitizer Dispenser

Sensor Soap / Sanitizer Dispenser ZSD700

Features


- Capacity : 1 Liter (1000 mL)
- Material : ABS, PP
- Installation
- Wall mounted
- Battery Operated



Sensor Soap / Sanitizer Dispenser ZSD500

Features

- Capacity: 0.8 Liter (800 mL)
- Size: 183mm x 100 mm x 130mm
- Plastic body
- Color: White
- Battery Operated





Sensor Sanitizer Dispenser with Stand ZSD900

Features

- Capacity : 1 Liter (1000 mL)
- Material : ABS, PP
- Installation with stand
- Length: 132
- Width: 85 Height: 240 mm
- Carton Size: 560 x 485 x 265 mm
- Vol: 600 mL
- Unit Weight: 642g
- Suitable for areas where there is no place to install on the wall

Technical Parameter

- Working Voltage: DC6V
- Working Current: 700mA
- sensing Distance: 2-10cm
- Standby Current: 4pcs AA batteries




Handicap Toilets



Two Piece Toilet ZTOT133

Features

- Flushing System
- Rimless Size : 800 x 385 x 870mm
- S-Trap : 360mm



Floor Standing Back to Wall ZWHT131

Features

- Flushing System :
- Rimless Size : 800 x 365 x 440mm
- P-Trap : 180mm
- Used with Concealed Flush
- Tank (Sold Separately)



One Piece Toilets



One-Piece Toilet ZTOT104

Features

- One-piece toilets integrate the tank and bowl into a seamless, easy-to-clean design
- Compact elongated bowl offers added comfort while occupying the same space as a round-front bowl
- Standard height Dual flush 2-1/8" (54 mm) glazed trapway Fully skirted trapway simplifies cleaning
- Quiet-Close elongated lid and seat prevents slamming
- Coordinates with other products in the Zilver collection
- Size: 750 x 370 x 100mm
- S-trap: 100mm Roughing-in

Installation

Standard 4" (100 mm) rough-in
Supply line sold separately



One Piece Toilet ZTOT145

Features

- Size: 680 x 360 x 755mm
- Recommended: Use Filter Angle Valve (GX4016)
- S-trap: 100mm Roughing-in
- One-piece toilets integrate the tank and bowl into a seamless, easy-to-clean design
- Compact elongated bowl offers added comfort while occupying the same space as a round-front bowl

NEW





Flush Tank / Squatting Pan

Squatting Pan ZSQT101

One Piece Toilet ZTOT140



Features

- Size: 700 x 380 x 750mm
- Recommended: Use Filter Angle Valve (GX4016)
- S-trap: 100mm Roughing-in One-piece toilets integrate the tank and bowl into a seamless, easy to clean design
- Compact elongated bowl offers added comfort while occupying the same space as a round-front bowl
- Dual flush offers a choice of 0.8 or 1.28 gpf (3.0 or 4.8 lpf) 2-1/8" (54 mm) glazed trap way.
- Fully skirted trap way simplifies cleaning
- Quiet-Close elongated lid and seat prevents slamming
- Coordinates with Zilver collection Standard height



Features


- Color: Alpine White
- Trap Type: None
- Trap way Type: Concealed
- Bowl Shape: Rectangle
- Size : 565 x 455 x 190mm



One Piece Toilet ZTOT147

Features

- Size: 700 x 380 x 750mm
- Recommended: Use Filter Angle Valve (GX4016) S-trap: 100mm
- Roughing-in One-piece toilets integrate the tank and bowl into a seamless, easy to clean design
- Compact elongated bowl offers added comfort while occupying the same space as a round front bowl
- Dual flush offers a choice of 0.8 or 1.28 gpf (3.0 or 4.8 lpf) 2-1/8" (54 mm) glazed trapway
- Fully skirted trapway simplifies cleaning
- Quiet-Close elongated lid and seat prevents slamming Standard height
- Coordinates with Zilver collection



Flush Tank


ZILVER
CONCETTI ITALIANI

Flush Tank

Concealed Flush Tank – Half Frame ZDR005

Features

- Two dual-flush configurations available
- Compatible with Any Wall hung Toilet
- Inclusive of Fixing sets, inlet/outlet pipes
- Front actuation
- Heavy Metal Frame
- 1.6 / 0.8 GPF
- 128 / 0.8 GPF



Upgrade your bathroom with Zilver – where luxury meets functionality effortlessly. Choose a Flush Tank that not only complements your style but transforms your daily rituals into moments of opulence.

Urinal

ZILVER
CONCETTI ITALIANI



Elevate your corporate restroom with Zilver—where quality urinals meet timeless style. Our proven, top-quality ceramic models are designed to exceed expectations, delivering lasting performance and impact in high-traffic environments. Choose Zilver for a restroom experience that goes beyond the ordinary.

Urinal


Urinal ZWHU101

Features

- Size : 465mm x 570mm x 210mm
- Material: Ceramics Color:
- White Surface: Glazed

Installation

- Top Inlet for Flush Valve




Urinal ZWHU102

Features

- Size: 350x380x760mm
- Drain: Wall drainage Or Direct Drainage
- Color: White
- Water Intake: Backwater Or Aspirating Water

Installation

- Top Inlet for Flush Valve



Urinal




Urinal ZWHU104

Features

- Size : 465mm x 570mm x 210mm
- Ceramics Color: White
- Surface: Glazed Without Fitting

Installation

- Top Inlet for Flush Valve



Always leave a urinal between
you and the other person.



Do not sit on the urinal.

Flush Valve


ZILVER
CONCETTI ITALIANI

Flush Valve

Toilet Flush Valve GS8016

Features


- 1/2" inlet
- 1 1/4" outlet
- Brass Body
- Nickel Plating 8-10 micrometer
- Chrome plating 0.2-0.3 micrometer



Toilet Flush Valve ZFV005

Features

- 1 inlet
- 1 outlet
- Brass Body
- Chrome plating 0.2-0.3 µm
- Nickel plating 8- 10 µm
- Flush Volume: 1.28 gpf (4.8 Lpf)
- Valve: Diaphragm
- Fixture Type: Water Closet
- Fixture Connection: Top Spud
- Rough-In Dimension: 27" (686mm)
- Spud Coupling: 1 1/2" (38mm)
- Supply Pipe: 1" (25mm)



Elevate your corporate restroom with Zilver—where precision flush valves meet timeless style. Our high-performance, commercial-grade valves are engineered for reliability, water efficiency, and seamless operation in high-traffic environments. Choose Zilver for dependable flushing solutions that go beyond the ordinary.

Flush Valve

Sensor Toilet Flush Valve ZY1999

Features

- Non-touching, infrared induction
- New energy supply voltage: 3.6V
- Stand by power consumption: 3-5UA
- Suitable water pressure: 0.05-0.8mpa
- Flush system without cistern: directly connected to pipework




Flush Valve

Sensor Urinal Flush Valve Touchless ZFVU101

Features


- No unpleasant odors
- Easy installation
- Built-in filter
- Safe against vandal damage
- Voltage: DC 6V
- Power consumption when used: <math><0.50\text{ mW}</math> (DC)
- Working temperature: 0.1 - 55°C
- Usable water pressure: 0.05 - 0.6 MPa recommended 0.1 - 0.3 MPa
- Diameter of inlet pipe 1/2 inch
- Diameter DN15 of the connection pipe: DN15 (G1/2 inch)
- Protection level: IP56
- Water flow during rinsing: 1.2 - 3 L adjustable



Urinal Flush Valve GS5210

Features

- 1/2" inlet
- 16 mm outlet
- Brass Body
- Nickel Plating 8-10 micrometer
- Chrome plating 0.2-0.3 micrometer



Concealed Sensor Urinal Flush Valve ZY1067

Features

- Single chip microcomputer design
- Automatic induction
- Two-stage washing & watersaving
- Four No. 5 alkaline batteries are used 100times
- Stainless steel design with handle
- Stainless steel box with all copper solenoid valve
- Adjusted automatically within 30-70 cm as required



Kitchen Sink



Kitchen Sink


Single Bowl Kitchen Sink VIENNA1200PLUS

Features

- Thickness : 1.0 mm
- Material : SUS 304
- Depth : 200 mm (8 inches)
- Size : (L) 830 mm (32.5 inches)
(W) 440 mm (17.5 inches)
- Surface : Matt

Accessories Include

- 1 Waste set
- 2 Clips + Seal



Single Bowl Kitchen Sink


VIENNA1200T

Features

- Thickness : 1.0 mm
- Material : SUS 303
- Depth : 200 mm (8 inches)
- Size : (L) 540 mm (21 inches),
(W) 440 mm (17.5 inches)
- Surface : Matt

Accessories Include

- 1 Waste set
- 2 Clips + Seal



In the tapestry of contemporary interiors, the kitchen stands as the focal point—the beating heart of every home—where family bonds intertwine. At Zilver, we present a collection of sinks meticulously designed to align your kitchen with the latest trends in both form and function.

Kitchen Sink


Single Bowl Sink JUMBO2T

Features

- Thickness : 0.81mm
- Material : SUS 304
- Depth : 254mm (10 inches)
- Size : (L) 812.8mm (32 inches)
(W) 482.6mm (19 inches)
- Surface : Polish

Accessories included:

- 1 Waste set
- 2 Clips + Seal



Kitchen Sink



Single Bowl Kitchen Sink SYDNEY005

Features

- Thickness : 0.81 mm
- Material: SUS 304
- Depth: 203 mm
- Surface: polish Size :
(L) 830 mm (33 inches)
(W) 450 mm (18 inches)

Accessories Include

- 1 Waste set
- 2 Clips + Seal




Round Bowl Kitchen Sink MADRID1400

Features

- Thickness : 0.8mm
- Material : SUS 304
- Depth : 180mm (7.5 inches)
- Size : 510mm (20 inches)
- Surface : Polish

Accessories Include

- Waste set
- 2 clip sets





Single Bowl Kitchen Sink SYDNEY007

Features

- Thickness : 0.81 mm
- Material: SUS 304
- Depth: 200 mm
- Surface: polish
- Size : (L) 500 mm (20 inches)
(W) 450 mm (18 inches)

Accessories Include

- 1 Waste set
- 2 Clips + Seal



ACCESSORIES

Style, Elegance, Durable &

Functional



Mirror

Magnifying Mirror with Light ZMM004

Features


- Magnifying
- Makeup Mirror 3x
- LED Light Electric
- Operated
- Polished Chrome
- Size: 170mm



Magnifying Mirror with Light Touch ZMM005

Features

- Magnifying
- Makeup Mirror 3x
- LED Light
- Battery Operated
- Polished Chrome
- Size: 175mm





Toilet Brush / Clothline


Wall Mounted Toilet Brush ZTB002

Features

- Finish Type: Stainless Steel
- Back wall bracket



NEW



Dustbin


Dustbin with Lid ZDB201

Features

- Body : Stainless steel 410
- Size : 3 Liter
- Paddle Bin with Soft closure (hydraulic type)
- Finish: Satin with Anti-fingerprint oil




NEW



Cloth Line T08

Features

- Rope Size: Opens
- Up to 8 Ft – 250 cm
- Braided nylon line,
- Strong to hold 22 pounds
- Stainless steel spring,
- Effortlessly reels up
- Size: 90 mm x 90 mm x 30 mm
- Finish Type: Stainless Steel
- Sturdy & durable design




Dustbin with Lid ZDB203

Features

- Body : Stainless steel 410
- Size : 12 Liter
- Paddle Bin with Soft closure (hydraulic type)
- Finish: Satin with Anti-fingerprint oil



NEW



Dustbin

Dustbin with Lid


ZDB202

Features

- Body : Stainless steel 410
- Size : 5 Liter
- Paddle Bin with Soft closure (hydraulic type)
- Finish: Satin with Anti-fingerprint oil

ZILVER
CONCETTI ITALIANI

NEW




Towel Shelf

24" Shelf With Double Towel Rail TSS008 / TSS008MB


NEW

Features

- Size: 600 mm (Length)
- Color: Chrome, Matt Black
- Hidden Screw
- Easy to install




■ Black



Zilver Paper Holder 0662M

Features

- Size: 110mm x 90mm x 30mm
- Color: Chrome, Matt Black
- Hidden Screw
- Easy to install




Corner Basket

Corner Basket ZCB01

Features

- Finish: Chrome
- Product Style:
- Contemporary
- Size : 210 mm x 210 mm x 65 mm
- Material : Brass




Soap Basket

Soap Basket Brass SB001

Features


- Finish: Chrome
- Size: 110mm x 90mm x 30mm
- Mounting hardware included
- Material : Brass



Corner Basket Brass ZCB02

Features


- Polished chrome finish
- Size : 245 mm x 245 mm x 85 mm
- Mounting hardware included
- Material : Brass



Soap Basket Large SB003

Features

- Finish: Chrome
- Size: 360mm x 130mm x 70mm
- Mounting hardware included
- Material : Brass




Electric Towel Dryer

Electric Towel Rail


ZETD01

Features

- Stainless Steel
- Heated Towel Warmer.
- Wall Mounted. 220v.
- Size : 720 mm x 500 mm. 220v/80ww
- Finish: Polished
- Temprature Adjustable
- Electric Panel



NEW



Hospital Accessories

Eye Wash Kit Station

ZEW001

Features

- Multi-Angle Rotation
- Easily Activated
- Safety Material - Brass / Chrome Plated
- Easy Installation



NEW



360° DEGREE
The swivel sink faucet aerator can be rotated 360 Degree



SOFT BUBBLE
High quality filter parts brings cleaner water



BRASS MADE
Made of brass, smooth surface and chrome-plated



Electric Towel Dryer


ZETD05

Features

- Available in White & Black Color



NEW




NORMAL MODE

Retain the Normal Function of you Sink, Suitable for Cleaning and Rinsing



DIVERTER

Diverter System activates the eyewash device function with the flip of a lever



- TFT COLOR DISPLAY SCREEN
- 24H TIMING
- CHILD LOCK PROTECTION
- BLUETOOTH
- MUSIC APP CONTROL
- TEMPERATURE CONTROL

